

**MASTIC HOME EXTERIORS. THIS IS THE EXTERIOR SOLUTION.™**



SIDING      PERFORMANCE METALS      RAIN REMOVAL      DOOR SURROUNDS      DESIGNER ACCENTS      SOFFIT + FASCIA      SHUTTERS

**MASTIC**  
HOME EXTERIORS

by PLY GEM

**PLY GEM SIDING GROUP**  
2600 GRAND BOULEVARD  
SUITE 900  
KANSAS CITY, MO 64108

**800 962 6973**

PLY GEM RESERVES THE RIGHT TO ALTER, MODIFY OR DELETE ITEMS FROM TIME TO TIME WITHOUT NOTICE.  
DUE TO PRINTING LIMITATIONS, COLORS MAY NOT BE EXACTLY AS SHOWN.  
CONTACT YOUR DISTRIBUTOR OR SALES REPRESENTATIVE FOR ACTUAL PRODUCT AND COLOR SAMPLES.  
ALL PRODUCTS MADE IN THE U.S.A.



CELEBRATING  
50 YEARS OF  
VINYL SIDING  
QUALITY +  
INNOVATION

♻️ THIS CATALOG WAS PRINTED USING 100% ENVIRONMENTALLY FRIENDLY INKS AND RECYCLED PAPER.  
760109421101




**mastic.com**

**MASTIC**  
HOME EXTERIORS

**OVATION™**





No paint. No stain. No hassles. That's the beauty of Ovation.™ Available in 20 colors and four panel styles, Ovation is engineered for strength and durability. Our exclusive Snap+Lock+Hold™ Locking System keeps panels in place — even during high winds. With vivid color throughout, and strength across the board, Ovation more than earns its name.

## VINYL SIDING GIVES CONSUMERS WHAT THEY WANT.

■ IMPORTANT ■ NEUTRAL ■ NOT IMPORTANT (%)  
 (Independent study conducted by Vernon Research Group, 2005)



## Ovation Delivers.

**DURABILITY.** If you're looking for siding that is durable and low maintenance, and looks beautiful, Ovation siding is the ideal choice. Ovation will enhance your home's appearance today — and for years to come.

**NO PAINT, NO STAIN, NO HASSLES.** Ovation, a premium panel, never needs paint or stain. Unlike real wood siding, it won't crack, peel, flake or rot. Revolutionary technologies like Mastic's exclusive Hang-Tough™ Technology and Duranyl 5000® Protection System maximize the panel's weatherability and deliver additional protection — and peace of mind — for your investment.


**COLOR AND TEXTURE.** Featuring two finishes — woodgrain and smooth — Ovation is available in 20 base colors.

**PEACE OF MIND THAT LASTS A LIFETIME.** Ovation is backed by the Mastic V.I.P. Limited Lifetime Warranty — a real warranty backed by a solid company. Mastic has been a trusted industry leader for more than 50 years. Please see our warranty for complete details.

Beauty that lasts. Based on an average-size home, repainting or staining can cost up to \$6,000 every four years. Ovation never needs painting, caulking or patching because, unlike wood, it won't crack, peel, rot or split.



NO PAINT. NO STAIN. NO HASSLES.



**MASTIC HANG-TOUGH™ TECHNOLOGY**  
 Exclusive formulation and process boosts durability so panels are more resistant to cracking, impact and thermal distortion. As an added benefit, rich color resides throughout the panel — virtually eliminating the appearance of nicks and minor surface scratches.



**DURANYL 5000® PROTECTION SYSTEM**  
 Proprietary technology adds extra UV protection to our deepest, most vivid colors — protects color against harsh elements and maximizes long-term weatherability.

**MASTIC V.I.P. LIMITED LIFETIME WARRANTY**  
 Premium guarantee of lasting quality and peace of mind — backed by Mastic, a trusted industry leader for 50+ years.

See warranty for complete details.



# Test our vinyl. We do. Rigorously. Relentlessly.



**WEATHERING** Color retention (resistance to fading) is tested by subjecting Mastic products to real-time weather conditions and accelerated UV testing. This ensures that Mastic products will hold up in the most extreme environmental conditions.



**OIL CAN TEST** Siding panels are placed under heat strips and saturated to 120° – 140°F to make sure the siding doesn't warp or buckle.



**RIGIDITY** Panels are designed and engineered to be more rigid so siding remains straight on the wall.



**GLOSS TEST** A digital readout microgloss meter is used to scan siding to determine if its gloss falls within a target range. Gloss is important to the aesthetic appeal of the siding.



**COLOR READ TEST** Using a spherical spectrophotometer, a 10,000-watt xenon flash tube bounces light off siding panels. This information is then analyzed to determine if the color falls within accepted ranges for consistency and match.








**VERTICAL HEIGHT IMPACT TEST** Measures the product's durability and ability to resist impact forces — the result of proper thickness, formulation and impact modifiers.

# Time-tested. VSI certified. And more.

The Vinyl Siding Institute (VSI) is dedicated to assuring vinyl siding delivers maximum performance in every application. Mastic vinyl siding products meet or exceed ASTM D3679 performance standards in the VSI certification program.

ASTM D3679 was developed by consensus through ASTM International, one of the largest standards development organizations in the world. Vinyl siding that meets this ASTM standard will:

VSI	MASTIC
WITHSTAND THE IMPACT OF RECOMMENDED INSTALLATION PROCEDURES.	 Mastic siding is designed and engineered to withstand impact beyond that required by ASTM D3679.
STAY ON THE HOUSE IN HEAVY WINDS OF AT LEAST 110 MPH.	 Ovation is rated at up to 195 mph.
LAY STRAIGHT ON A FLAT WALL AND NOT BUCKLE UNDER NORMAL CONDITIONS.	 Our product development team subjects Mastic products to a battery of rigorous tests to ensure superior quality and performance and, in addition to lay-flat design features, some Mastic products are even designed to hide existing imperfections in construction.
WITHSTAND THE EFFECTS OF NORMAL SEASONAL TEMPERATURE FLUCTUATIONS.	 With our exclusive Duranyl 5000 <sup>®</sup> Protection System and Hang-Tough <sup>™</sup> Technology, Mastic products are engineered to persevere in the most extreme conditions.
MEET MANUFACTURERS' ADVERTISED SPECIFICATIONS FOR LENGTH, WIDTH, GLOSS AND THICKNESS — AND HAVE A MINIMUM THICKNESS OF .035.	 Ovation features a premium thickness of .042 — 20% thicker than the minimum requirement.

# THE EXTERIOR SOLUTION FOR Color.

## DEEP COLORS



**ENGLISH WEDGEWOOD**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN



**RUGGED CANYON**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN



**DEEP GRANITE**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN



**QUIET WILLOW**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN

## CLASSIC COLORS



**HARBOR GREY**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**EVEREST**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**SCOTTISH THISTLE**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**PEBBLESTONE CLAY**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH

## LIGHT COLORS



**VICTORIAN GREY**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**TUSCAN OLIVE**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**WICKER**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**SANDTONE**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH




**SAGE**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH




**DESERT SAND**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH




**SILVER GREY**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH




**ALMOND**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH




**CLASSIC CREAM**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**LINEN**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**CAMEO**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



**WHITE**  
DOUBLE 4" WOODGRAIN  
DOUBLE 4-1/2" DUTCH LAP WOODGRAIN  
DOUBLE 5" WOODGRAIN  
TRIPLE 3" SMOOTH



effortless beauty



DOUBLE 4-1/2"  
DUTCH LAP

DOUBLE 5"

TRIPLE 3"

DOUBLE 4"

AVAILABLE  
IN TWO  
TEXTURES

WOODGRAIN  
FINISH

SMOOTH  
FINISH



**THE .042 COLOR LEADER —  
20 COLORS**



**SNAP+LOCK+HOLD™ LOCKING SYSTEM**  
Grips tight so panels lock securely and stay put — even in high winds.

**ROLLOVER, REINFORCED NAIL HEM**  
Easier installation — more precise and secure fastening.

**9/16" PANEL PROJECTION**  
Enhanced shadow lines replicate the appearance of real wood siding.



**.042 THICKNESS**  
Greater strength, greater rigidity and a panel that hangs straighter.



**WIND SPEED — RATED UP TO 195 MPH**  
Mastic's proprietary design and engineering delivers a panel that achieves superior wind resistance.



**DURANYL 5000® PROTECTION SYSTEM**  
Proprietary technology adds extra UV protection to our deepest, most vivid colors — protects color against harsh elements and maximizes long-term weatherability.



**MASTIC HANG-TOUGH™ TECHNOLOGY**  
Exclusive formulation and process boosts durability so panels are more resistant to cracking, impact and thermal distortion. As an added benefit, rich color resides throughout the panel — virtually eliminating the appearance of nicks and minor surface scratches.



**CLASS 1(A) FIRE RATING**

**MASTIC V.I.P. LIMITED LIFETIME WARRANTY**  
Premium guarantee of lasting quality and peace of mind — backed by Mastic, a trusted industry leader for 50+ years (see warranty for complete details).

## A HEALTHY RESPECT FOR THE PLANET — AND OUR CUSTOMERS.

Everything we do, big and small, revolves around our respect for our customers — and the environment. We're committed to zero-waste manufacturing, process optimization, sustainability, recycling and the conservation of energy and water. In fact, we put sustainable practices to work at every stage of our process — engineering, testing, product development, manufacturing, transportation and beyond.



### HEALTH AND SAFETY

Does not utilize materials that can cause adverse health effects to installers and to you.



### EMBODIED ENERGY

Requires less energy to manufacture per square foot than fiber cement or brick.



### ENGINEERED FOR SUSTAINABILITY

Potential to earn more points in leading green building certification programs and contributes significantly less to global warming than other exterior cladding.



### MATERIAL EFFICIENCY

Generates less on-site construction waste than cardboard packaging, brick or lumber.

Unlike some fiber cement products, vinyl siding does not produce harmful silica dust — silica dust can cause lung disease.



Genuine Mastic. First in home exterior products.

Only the best. Mastic Home Exterior is your solution for the finest-quality vinyl siding products and our exclusive Designer Accents™ collection of finishing accessories. Shutters. Decorative door and window mantels. Corner posts. Blocks and vents. Columns and gutters. All designed to perform — and coordinate — perfectly with your Mastic siding. For uncompromising quality, beauty and performance, insist on a complete exterior by Mastic Home Exterior.



PERFECTION SHINGLES

TRADITIONAL LAP SIDING

DUTCH LAP SIDING

HAND-SPLIT SHAKES

INSULATED SIDING

CORNER POSTS

SOFFIT + FASCIA

GABLE VENTS

TRIM SHEET

WINDOW MANTELS

SHUTTERS

RAIN REMOVAL

LEAF PROTECTION

DOOR SURROUNDS

COLUMNS

MOUNTING BLOCKS

UTILITY VENTS